

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1898	select\$5 near8 clock near5 source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:53
S2	140	S1 same (internal and external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:39
S3	71	S1 with (internal and external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:39
S4	3191	select\$5 near5 output\$4 near8 clock near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:54
S5	2267	select\$5 near5 output\$4 with clock near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:54
S6	7	select\$5 near5 output\$4 with clock near3 data with (clock adj3 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:08
S7	31	select\$5 near5 output\$4 near5 (clock adj3 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:08
S8	8	select\$5 near5 output\$4 near3 data near5 (clock adj3 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:13
S9	123	output\$4 near3 data near5 (clock adj3 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:17
S10	14	S9 same (select\$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:15

S11	6	output\$4 near3 data near5 (clock adj output adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:31
S12	15	data near5 (clock adj output adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:18
S13	1	configur\$5 near5 (clock adj output adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:39
S15	32	S9 same (test\$3 or diagnos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 11:41
S16	2	internal near5 (clock adj output adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:06
S17	22	signal near5 (clock adj output adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:07
S18	2	\$5controller near3 signal near5 (clock adj output adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:08
S19	13	\$5controller near3 signal near5 (clock adj3 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:13
S20	18	\$5controller near3 signal near5 (clock adj3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:13
S21	20	data near5 (clock adj output adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:18

S22	13	output\$4 near3 data near5 (clock adj output adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:37
S23	0	output\$4 near3 (internal adj3 signal) near5 (clock adj output adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:38
S24	0	(internal adj3 signal) near5 (clock adj output adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:38
S25	1	output\$4 with both near5 (data and clock) with "same" with (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:09
S26	69	select\$5 near5 output\$4 near5 data near3 clock with (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:19
S27	4	selective\$2 near5 output\$4 near5 data near3 clock with (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:11
S28	2	select\$5 near5 output\$4 near5 data near3 clock with single near3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:41
S29	6	output\$4 near5 data near3 clock with single near3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:44
S30	3	output\$4 near5 data near3 clock with "same" near3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:46
S31	3737	output\$4 with "same" near3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:46

S32	2298	output\$4 with "same" adj3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:46
S33	509	output\$4 with "same" adj (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:47
S34	1718	output\$4 near5 "same" adj (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:47
S35	130	output\$4 near3 data near5 "same" adj (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:47
S36	17	output\$4 near3 clock near5 "same" adj (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:51
S37	32	shar\$3 near5 clock adj3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:59
S38	252	shar\$3 near5 data adj3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:00
S39	9	shar\$3 near5 data adj3 (port or pin) with clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:01
S40	24	shar\$3 near5 data adj3 (port or pin) same (test\$3 or diagnos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:08
S41	32807	single near3 (port or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:09

S42	50434	selective\$2 near3 output\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:09
S43	55	S41 same S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:30
S44	10695	selective\$2 near3 output\$4 near3 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:10
S45	4	S41 same S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:10
S46	311	enabl\$3 near5 internal near3 clock near3 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:32